



**UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. |
|-----------------|-------------|----------------------|---------------------|
|-----------------|-------------|----------------------|---------------------|

09/544,910 04/07/00 HUANG

Y 06510/121US1

HM22/1212

BRET FIELD
BOZICEVIC FIELD & FRANCIS LLP
200 MIDDLEFIELD ROAD
SUITE 200
MENLO PARK CA 94025

EXAMINER

CLARK, D

ART UNIT

PAPER NUMBER

1633

DATE MAILED:

12/12/00

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trad marks

See attch.


Art Unit: 1633

The reply filed on 12/04/00 is not fully responsive to the prior Office action because of the following omission(s) or matter(s): applicants did not elect a species for examination as required in paragraph 6 of the office action mailed 10/10/00 which required election of one invention and one species. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Deborah Clark whose telephone number is (703) 305-4051. The examiner can normally be reached on Mondays-Fridays from 7:10 a.m. EST to 3:40 p.m. EST.

The fax phone number for the organization where this application or proceeding is assigned is (703) 308-4242.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0196.


DEBORAH J. R. CLARK
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600